

Appln No. 09/747,392

Amdt date March 25, 2005

Reply to Office action of September 29, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) A mobile set having a voice recording means for storing voice conversations received through the mobile set and capable of playback on the mobile set, the mobile set comprising:

(a) a uplink/downlink switch for selecting speech frames from either an uplink or a downlink signal, the uplink signal carrying a first speech frame transmitted by the mobile set to a second device during a voice conversation, and the downlink signal carrying a second speech frame received by the mobile set from the second device during the voice conversation;

(b) at least one switching logic controller for switching between the uplink and downlink signals;

(c) a method of file header generation for generating headers for recorded speech files;

(d) a recorder controlling means for configuring and controlling of a recorder operation in one of several modes available to a subscriber; and

(e) a memory element storing the selected speech frames into a speech file.

2. (Previously Presented) A method in a mobile set for storing voice recordings, the method comprising:

(a) controlling a processor to identify speech containing time frames from at least one uplink and at least one downlink

Appln No. 09/747,392

Amdt date March 25, 2005

Reply to Office action of September 29, 2004

signal, the uplink signal carrying a first speech frame transmitted by the mobile set to a second device during a voice conversation, and the downlink signal carrying a second speech frame received by the mobile set from the second device during the voice conversation; and

(b) recording the speech containing time frames from said uplink and said downlink signals such that each time frame is recorded sequentially with a time stamp for each time frame.

3. (Original) The method as in claim 2, wherein the voice detector is a processor having a buffer for storing multiple time frames of uplink and downlink signals, and capable of assigning each time frame a logic value while sorting through signals of the same time frame.

4. (Original) A method in a mobile set for determining record worthy voice time frames, the method comprising:

- (a) receiving a first signal in a voice activity detector;
- (b) receiving a second signal in the voice activity detector;
- (c) comparing the first signal to the second signal, wherein the first and second signals have the same time stamp, and selecting the signal having a high logic value for recording; and
- (d) substituting the low logic value signal with a placeholder marker for recording.

5. (Original) The method of claim 4, wherein step (d) alternatively comprises:

Appln No. 09/747,392

Amdt date March 25, 2005

Reply to Office action of September 29, 2004

(d) Recording the low logic value signal without performing any substitution.

6. (Original) The method of claim 4, wherein the first voice signal is a uplink signal, and the second voice signal is a downlink signal.

7. (Original) The method of claim 4, wherein the first signal or the second signal contains a plurality of signals of the same type.

8-19. (Canceled)